




Date: _____ Brand: _____
 Distributor: _____ Color: TPO PVC
 Roofing Contractor: _____ Galvanized Bonderized
 Job Name: _____ White Tan Gray
 Location: _____
 Start Date: _____


1. For multiple sizes use additional quote forms.
2. Custom accessories are non-returnable upon order placement.

Pipe Boots | Cylindrical




Split Closed
 Quantity: _____
 Pipe Diameter (A): _____ inches
 Height (B): _____ inches
 Flange (C): _____ inches
**Under 2" Needs approval*

Pipe Boots | Conical/Flash Cone




Split Closed
 Quantity: _____
 Top Diameter (At): _____ inches
 Bottom Diameter (Ab): _____ inches
 Height (B): _____ inches
 Flange (D): _____ inches

Square/Rectangular Tube Boots/Wrap




Split Closed
 Quantity: _____
 Tube Size (A1): _____ inches
 Tube Size (A2): _____ inches
 Heigh (B): _____ inches
 Flange (C): _____ inches

Curb Flashing




4 pcs 2 pcs Split Closed
 Quantity: _____
 Dimension (A): _____ inches
 Dimension (B): _____ inches
 Height (H): _____ inches
 Flange Width (F): _____ inches
 Galvanized Stainless Steel

T-Top Vent




Quantity: _____
 4"
 6"
 8"
Larger Available Upon Request

Vent with Sub Base




Quantity: _____
 Top Diameter (At): _____ inches
 Bottom Diameter (Ab) _____ inches
 Height (B): _____ inches
 Flange (C): _____ inches

Scupper (Lateral Drain)




Overflow Through-Wall Style
 Quantity: _____
 Width (W): _____ inches
 Height (H): _____ inches
 Depth (D): _____ inches
 Galvanized
 Stainless Steel
 Left Flange Corner
 Right Flange Corner

Sealant Pocket




Quantity: _____
 Width (W): _____ inches
 Length (L): _____ inches
 Height (H): _____ inches
 Flange (F): _____ inches
 Galvanized
 Stainless Steel

EZ PV Mounts




Quantity: _____

Inside/Outside Corners T Joint Covers




Quantity: _____

- Reinforced
 Non-Reinforced




Quantity: _____

Oval Flashing



- 4" 7"
 With Sub Base
 Without Sub Base


Horizontal Outlet Drains/Bowl Drains



Quantity: _____

- 2"
 3"
 4"
 with coupler
 Stainless Steel
 Copper


Vertical Outlet Drains/Bowl Drains



Quantity: _____

- 2"
 3"
 4"
 with coupler
 Stainless Steel
 Copper

Drains with Overflow (vertical/horizontal)




Vertical Outlet
Quantity: _____

Horizontal Outlet
Quantity: _____

- A 2"
 B 3"
 C 4"

- Stainless Steel Copper


Drain Insert



Quantity: _____
 Pipe Diam: _____
 Height: _____

- Flange
 Bent

Gravity Vent



Quantity: _____

- 12"
 16"
 18"

Custom sizes available upon request

Turbine Vent




Quantity: _____

- 12"
 14"

Special order available upon request

Louver Vent




Quantity: _____

- 12" x 14"
 14" x 18"
 18" x 24"

Larger sizes available upon request.

Breather Vent




Quantity: _____

Height: _____

Flange: _____

- One Way
 Two Way


Edge Metal



Quantity: _____
 Width (A): _____
 Height (B): _____
 Pitch: _____

- Coating:
- Inside (C)
 - Outside (D)


Curb Caps



Quantity: _____
 Length (A): _____
 Width (B): _____
 Height (C): _____

- Kick
- Hem
- Galvanized
- Stainless Steel

Drip Edge




Quantity: _____
 Deck Width (A): _____ inches
 Face Height (B): _____ inches

- 1/2" Gravel Stop
- Kick
- Hem Open/Closed
- Cleat

*B Does Not Include Kick

Coping



Quantity: _____
 Crown Width (A): _____ inches
 Height (B): _____ inches
 Height (C): _____ inches

- Kick
- Hem
- Full Cleat
- 8" Cleats

* C & D Does Not Include Kick

Additional Notes:
